



CYMBAL SWAG EARRINGS

BY LESLIE ROGALSKI www.leslierogalskibeadworks.com.



Sitanos II Cymbal™ elements are listed for size 8° seed beads but in these earrings SuperDuos and 15°s form graceful swags beneath the elegant arches. Goes to show how playing with your beads can lead to something unexpected!

Skill Level: Beginner

Techniques to know: Half hitches, familiar with two-holed beads

Finished size: 1 inch.

MATERIALS for one pair of earrings

2 Sitanos II Cymbal elements

14 SuperDuos Color A

12 SuperDuos color B 62 size 15° seed beads #12 beading needles
Fireline to match/blend in, 6lb

2 earwires

Scissors or thread zapper

Please respect my designs by not reselling or altering my patterns in any way. Do not replace or modify text, images, names, logos, or URLS. Feel free to recreate this design for personal use and limited sales but not for mass production.

Permission to teach this pattern is exclusive to customers of The Beadsmith.

SUPERDUO ROWS

FIGURE 1

TIP: Keep your thread loose for the first row to enable easier passage through the Cymbal ends and first beads. Pull beads snug in Step 2.

- **Step 1.** String a stopper bead on 24 inches of thread leaving a 6-inch tail. String a SuperDuo and a 15° six times, and one more SuperDuo. Sew out one end of the Cymbal. String a 15°. Sew back through the Cymbal end, and through the whole row of SuperDuos and 15°s just strung.
- Step 2. Sew out the other Cymbal end. String a 15° and sew back into the Cymbal end.

FIGURE 2

- **Step 3.** Remove the stopper bead from the tail. Knot the tail and working thread between the Cymbal end and the SuperDuo, pulling the beads to the Cymbal end in a slight curve. Sew in through the stitched SuperDuo hole.
- **Step 4.** Reverse direction and sew out the open hole of the SuperDuo. String a 15° and sew back through the SuperDuo hole just exited.

FIGURE 3

Step 5. String a Superduo between each existing SuperDuo. Exit the last SuperDuo in Row 1 and string a 15°. Sew back through the first SuperDuos in Rows 1 and 2. Reverse direction and exit out the open hole of the same SuperDuo of Row 2.

EMBELLISHMENT PICOTS

FIGURE 4

- **Step 6.** String a 15° and sew back through the same hole just exited in the Superduo.
- **Step 7**. String four 15°s. Sew back through the third 15° just strung. String two 15°s and sew through the next Superduo. **NOTE:** The fourth 15° becomes the tip of the picot.
- **Step 8.** Repeat Step 7 four more times to add a picot of 15°s between each Row 2 SuperDuo. Nudge the tip 15°s to sit centered.
- **Step 9.** Sew out the last SuperDuo and 15°.

Step 10.

Sew in through the same SuperDuo hole. Reverse direction and sew out through the other hole in that same SuperDuo. Sew out the end SuperDuo from Row 1 and through the 15°. Sew back into the next two SuperDuos. Make a half hitch between two SuperDuos around existing thread. Weave thread into the beadwork following thread paths and trim.


- **Step 11.** Weave the tail thread in and trim.
- **Step 12.** Attach an earring finding to the loop of the Cymbal.

Please respect my designs by not reselling or altering my patterns in any way. Do not replace or modify text, images, names, logos, or URLS. Feel free to recreate this design for personal use and limited sales but not for mass production.

Permission to teach this pattern is exclusive to customers of The Beadsmith.

ILLUSTRATIONS FOR CYMBAL SWAG EARRINGS

BY LESLIE ROGALSKI



Please respect my designs by not reselling or altering my patterns in any way. Do not replace or modify text, images, names, logos, or URLS. Feel free to recreate this design for personal use and limited sales but not for mass production.

Permission to teach this pattern is exclusive to customers of The Beadsmith.