

TUTORIAL BY APOLLINARIYA KOPRIVNIK



(c)2015 | Apollinariya Koprivnik | all rights reserved  
For distribution and teaching by customers of the Beadsmith

## ROMANTIC EARRINGS



### MATERIALS BEGINNER LEVEL /

-  / swarovski round pearls 4 mm x16
-  / swarovski round pearls 6 mm x10
-  / swarovski round pearls 10 mm x2
-  / firepolished czech glass beads 4 mm x16
-  / czech glass wheel beads x32
-  / miyuki delica '11 | three different colors | each 2 grams
-  / ear wire by your choice x2


\ length of earrings 4.5 cm | 1.77 inches

/ thread length 1.2 m | 39.4 inches


- I. Pick combination of 4 wheel beads and 6 mm sw. pearls. Make a circle and form a knot. Beads should be kept tight all the time.
- II. Add combination of 8 miyuki delica beads (pay attention on the color) in between each wheel bead. Keep them nice as an arc.
- III. In between 6 delica beads from each arc add combination of 1 delica, 4 mm sw.pearls and 1 delica. Picture shows the way your pattern will look like on this step.



**KEEP IT TIGHT!**



- IV. Turn your design back side and add three delica beads between each wheel bead. Tighten them nice, so no thread will be visible.
- V. Between each wheel bead and sw.pearl that was added in the step I add one delica bead.
- VI. Between this delicas add combination of 1 new delica, 1 Firepolished 4mm bead, 1 Wheel bead, 1 Firepolished 4mm bead and 1 new delica.





VII. In between each firepolished bead and wheel bead from the previous row add 1 miyuki delica bead. It will keep the row tight and more fixed.

VIII. Turn the element on the front side. On the picture is visible, how the design should look.



BACK SIDE

FRONT SIDE






VII

VIII

IX. Next step is to connect delica bead and 4 mm sw. pearl from the step III (as shown with dashed arrow on scheme VIII) using 4 additional delicas. Do it all around the pattern.


X. Move the thread through the wheel bead to the firepolished. Between each of two Firepolished beads from the back side add combination of 1 wheel bead, 1 4mm sw.pearl and 1 wheel bead. (Space between two firepolished beads is smaller then it is shown on scheme, pay attention to the picture X)




IX

X

BACK SIDE



XI. Between each wheel bead and 4mm sw. pearl from the previous row add 1 delica bead. Pay attention to photo below.  
Sew through the arc to the next to last delica before the wheel to continue with ear wire.



XII. Add the combination of beads and ear wire.  
Sew twice through this row to secure. Weave in threads and trim.

